Ompany



LUMBER & WOOD CATALOG 2024

Lumber & Wood

Douglas Fir Framing Lumber

1x4, 1x6	16′, 20′
2x4	8', 10', 12', 14', 16'. 18', 20'
2x6 to 2x12	8′, 10′, 12′, 14′, 16′, 18′, 20′, 22′, 24′
2x14	8', 10', 12', 16', 20', 24'
3x4, 3x6	8', 10', 12', 16', 20'
3x8, 3x12	Special order
4x4 to 4x12	8', 10', 12', 14', 16', 18', 20', (some to 24')
4x14	8', 10', 12', 16', 20', 24'
6x6 to 6x12	8′, 10′, 12′, 14′, 16′, 18′, 20′

Common sizes and grades are also available kiln dried. FSC® Certified available via Special Order.

Douglas Fir S-DRY Framing Lumber

2x4 to 2x12	#1 Select / S-DRY	Various lengths
3x4 to 3x6	#1 Select / S-DRY	8', 10', 12'
4x4 to 4x6	#1 Select / S-DRY	8', 10', 12'
6x6	#1 Select / S-DRY	8', 10', 12'

S-DRY = Surfaced Dry / 19% moisture content when surfaced at the Mill. Longer lengths available via Special Order.

Engineered Wood Products

Laminated Veneer Lumber (LVL)

1-3/4 x 7-1/4, 1-3/4 x 9-1/2, 1-3/4 x 11-7/8, 1-3/4 x14 3-1/2 x 9-1/2, 3-1/2 x 11-7/8

5-1/4 x 9-1/2, 5-1/4 x 11-7/8

LVL lengths - 8', 10', 12', 16', 20', 24'

Parallam (PSL)

3-1/2 x 9-1/2, 3-1/2 x 11-7/8, 3-1/2 x 14 5-1/4 x 9-1/2, 5-1/4 x 11-7/8, 5-1/4 x 14

PSL lengths - 8', 10', 12', 16', 20', 24'

Laminated Strand Lumber (LSL)

1-3/4 x 9-1/2, 1-3/4 x 11-7/8, 1-3/4 x 14

LSL lengths -16'

I-Joist

I-Joist Full inventory available via Special Order

Custom sizes or larger sizes/longer lengths are available via Special Order with deliveries on M, W, F.

GRADE KEY

KD = Kiln Dried VG = Vertical Grain T&G = Tongue & Groove STK = Select Tight Knot S-DRY = Surfaced Dry

Pressure Treated Lumber

2x4, 2x8 to 2x12	8', 10', 12', 16', 20'
2x6	8', 10', 12', 14', 16', 18', 20'
3x4 to 3x12	8', 10', 12', 16', 20'
4x4 to 4x12	8′, 10′, 12′, 16′, 20
6x6 to 6x12	8', 10', 12', 16', 20'
6x8 Landscape Timber	8'Treated HF (Hem-Fir)
8x8	12', 16', 20'

Custom orders or larger sizes available via Special Order.

Preserve CA-C is seen as a "greener" preservative and a more sustainable option than previous wood preservatives.

PT lumber is dyed brown.

We carry Simpson Strong-Tie connectors with ZMAX finish to provide corrosion protection for use with pressure treated wood.

Surfaced Redwood

Construction Heart	2x4, 2x6	8' to 20'
	6x6	8' to 20'
Select Heart	2x8, 2x12	8' to 20'
	4x6	8' to 20'
Heart B	2x2	3', 4', 6', 8'
Heart B Decking	2x4, 2x6	8' to 20'
Heart B	4x4	8', 10', 12', 16' 20'

Larger sizes and timbers available via Special Order.

Rough-Sawn Redwood

Construction Heart	1x8, 1x12	8', 10', 12', 16', 20'
	2x4, 2x6, 2x8, 2x12	8', 10', 12', 16', 20'
	4x4, 4x6	8', 10', 12', 16', 20'
	6x6	8', 10', 12', 16', 20'

Rough-sawn Redwood is resawn for a rustic appearance and is sized a little thicker and wider than surfaced lumber.

Larger sizes and timbers available via Special Order.

Redwood Fencing

Redwood

1x6 Redwood Con Hrt 5', 6' 1x8 Redwood Con Hrt 5', 6', 8'

6' with dog eared top

8' Fence Posts Redwood / See Pressure Treated

5/8" Redwood Lattice 4x8 Panel / Heavy Duty

Diagonal or Square Pattern

Pre-assembled Redwood Fencing

Redwood Fence Panel 8'long x 6'high

Redwood fence panel has 5' solid fencing with 1' privacy lattice.

Redwood products are sustainably harvested.

Decking

Redwood Decking

Construction Heart	2x4, 2x6	8' to 20'
Select Heart	2x8, 2x12	8', 10', 12', 16', 20'
Heart B Decking	2x4, 2x6, 4x4	8' to 20'
Heart B	2x2	3', 4', 6', 8'

Additional grades and sizes available via Special Order. All Redwood products are sustainably harvested.

Ipe Hardwood Decking

1x6 and 5/4x6 8' to 20' random lengths

Prefinished or grooved available via Special Order.

Ipe will gradually age to a silver grey if left alone, to maintain it's natural color use a high-quality penetrating oil like Messmer's with UV inhibitors.

dassoXTR Fused Exterior Bamboo Decking

Classic Espresso, Epic Cognac

G2-Deck Plank 1x6 6' G1 Starter/End Plank 1x6 6'

Fused Exterior Bamboo Decking is pre-oiled and reversible.
The G1 Starter/End Plank is also used as stair treads and riser.
FSC®, Cal Fire Approved and U.S. Green Building Council LEED Certified

Batu Hardwood Decking

1x6 Random lengths

5/4x6 and components available via Special Order. Also known as Red Balau hardwood.

Trex® Composite Decking

Trex Transcend Lineage

Biscayne, Rainer

1x6 Grooved Edge Board 12', 16', 20'

Trex Transcend Tropicals

Havana Gold, Island Mist, Tiki Torch, Spiced Rum 1x6 Grooved Edge Board 12′, 16′, 20′

Trex Transcend: Additional styles/colors are available for Lineage, Tropicals and Classic Earth Tones, including square edge boards are available via Special Order.

Trex Special Order: We are a Full Line Trex Dealer with next day delivery if you order by 3pm Monday-Thursday.

Trex Select Earth Tones

Saddle, Pebble Grey

1x6 Grooved Edge Board 12', 16', 20'

Additional colors, square edge boards and 2x6 are available via Special Order.

Trex Special Order: We are a Full Line Trex Dealer with next day delivery if you order by 3pm Monday-Thursday.

Siding

Bodyguard® Exterior Siding

V-Rustic Sidir	ng	1x6, 1x8, 1x10	16′. 20′
Bevel Chann	el Siding	1x10	16', 20'
Lap Siding	2 lap	1x6	16′
	3 Lap	1x8, 1x10	16′
Rabbeted Be	vel	1x8	20'

Finger jointed New Zealand Radiata Pine treated under pressure with a carbon-based penetrating solution.

Primed and ready to paint.

Saw cuts need to be sealed. Mfg. recommends Bodyguard End Seal or wood preservative containing zinc naphthenate.

30-year limited warranty against termite attack and fungal decay.

Additional profiles and sizes available via Special Order.

Bodyguard is FSC® Certified and Green Building credited.

Bodyguard trim boards and moulding is available via Special Order.

Evergreen Western Red Cedar

V-Rustic	1x4, 1x6, 1x8, 1x10	16', 20'
Bevel Channel	1x10	16', 20'

Kiln dried finger jointed Coastal Western Red Cedar that is primed with an oil base coat and a latex top coat.

Evergreen WRC Fascia & Trim

Smooth/Resawn 1x2, 1x3, 1x4, 1x6, 1x8, 1x10, 1x12

Smooth/Resawn 5/4x4, 5/4x6

Smooth/Resawn 2x4, 2x6, 2x8, 2x10, 2x12

Available in 16' and 20' lengths. 1x10 is available in 8' and 16'.

Primed with an oil base coat and a latex top coat.

Additional sizes or face surface available via Special Order.

Western Red Cedar Siding

1x6 Tongue & Groove 8' to 20' 5/4x10 Rabbeted Bevel 4' to 20' Resawn, STK, unprimed. Available random lengths.

WRC Trim Boards

1x4, 1x6	8' to 20'
2x4, 2x6, 2x8, 2x12	8' to 20'

Resawn face, knotty and unprimed. Available random lengths.

WRC Rainier Plank

1x6 T&G Micro V Cedar Plank Random lengths 8' to 16'

Vertical grain Western Red Cedar veneer / Finger-jointed tight knot Cedar core.

Siding continued

TruExterior Siding (Next Day Special Order)

1x6, 1x8, 1x10 16'

Channel, Channel Bevel, Cove/Dutch Lap, Shiplap and V-Rustic profiles available via Special Order.

Ends do not need to be sealed during installation.

TruExterior Trim Boards (Next Day Special Order)

1x4, 1x6, 1x8, 1x10, 1x12	16′
5/4 x 4, 5/4 x 6, 5/4 x 8, 5/4 x 10, 5/4 x 12	16′
2x4, 2x6, 2x8, 2x10, 2x12	16′

Trim boards are reversible with one side wood grain and one side smooth finish

Ends do not need to be sealed during installation.

Applications include fascia, door and window trim, soffits and rake boards.

TruExterior Beadboard (Next Day Special Order)

5/8 x 6 Beadboard 16'

Ideal for porch ceilings, soffits, and other decorative exterior wall applications. Available via Special Order.

HardiePlank Lap Siding

HardiePlank Smooth	8-1/4" (7" exposure)	12′
HardiePlank Cedarmill®	8-1/4" (7" exposure)	12′

Primed and ready for paint.

HardieTrim trim boards compliment HardiePlank siding and can be used to accentuate corners, roof lines, doors, windows and more. Choose from rustic, a raised texture that looks like wood or smooth in an assortment of common sizes. Available via Special Order.

Hardie® Panel Vertical Siding

Select Cedarmill®, Smooth, Seirra 8 4x8

Artisan Fiber Cement Siding

V-Groove Siding	8-1/4" (7" exposure)	12′
Shiplap Siding	10-1/4" (9" exposure)	12′

Artisan siding is 5/8" thick and primed, ready for paint. Artisan Square Channel siding available via Special Order.

Red Cedar Shingles

#1 Grade Vertical Grain, Random Widths Bundle

A bundle covers 25 square feet with 7" exposure.

Red Cedar Shingle Panels, Fancy Cuts, and Resquared and Rebutted (R-R) are available via Special Order.

Plywood Siding

See Plywood - Select Grade Resawn Plywood Siding

Plywood

CDX Plywood

CDX Square Edge	STR 1 3/8"	4x8, 4x9, 4x10
CDX Square Edge	STR 1 1/2"	4x8, 4x9, 4x10, 4x12
CDX Square Edge, T&G	5/8"	4x8
CDX Square Edge, T&G	3/4"	4x8
CDX Square Edge	STR 1 3/4"	4x8, 4x10

CDX Square Edge, T&G 1-1/8" 4x8

STR1 = Structural 1 for increased racking performance, cross panel strength and overall panel stiffness.

CDX T&G Plywood is Full Face (48").

CDX Radiant Barrier is available via Special Order.

Pressure Treated Plywood

CDX Pressure Treated	1/2", 5/8", 3/4"	4x8
Sturd-I-Floor T&G PT	3/4", 1-1/8"	4x8

PT = Pressure Treated / Preserve CA-C Sturd-I-Floor T&G PT is full face (48")

Fire Retardant Plywood

CDX Fire Retardant	1/2", 5/8", 3/4"	4x8
ACX Fire Retardant	3/4"	4x8

Hoover Pyro-Guard Interior Fire Retardant Treated Plywood. Exterior Fire Retardant CDX is available via Special Order.

Select Grade Resawn Plywood Siding

3/8"	Plain, 8" OC Shadow Groove	4x8
5/8"	Plain, 4" OC, 8" OC, 12" RBB	4x8
5/8"	Plain, 8" OC	4x8, 4x9, 4x10
5/8"	Plain, 8" OC Primed	4x8

Manufactured with a slight, rough-sawn texture running across panel. Premium grade and Breckenridge available via Special Order.

Sanded Plywood

ACX Sanded 1/4", 3/8", 1/2", 5/8", 3/4" 4x8

Pine face, underlayment rated.

Sturd-I-Floor

Sturd-I-Floor T&G 3/4", 1-1/8" 4x8

Square edge available via Special Order. Underlayment rated.

AdvanTech Flooring Panels

AdvanTech T&G Subfloor 3/4" 4x8

24oz Polyurethane gel-foam adhesive. Applicator / Glue gun / 12oz Applicator cleaner.

Plywood continued

Hardwood Plywood

Prefinished Maple	1/4", 3/4"	4x8
Prefinished Russian Birch	1/2"	4x8
Unfinished Oak	1/4", 3/4"	4x8
Unfinished Birch	1/4", 3/4"	4x8
Luan	1/8", 1/4"	4x8

We have a wide range of prefinished hardwood plywood available via Special Order.

Marine Grade Plywood

AB Marine Grade 3/4" 4x8

Both face and back surface veneers are good Other sizes available via Special Order.

Concrete Forming Plywood

BBOES	Grain transfer	4x8
MDO	Smooth transfer	4x8

Mill applied release agent, sealed edges.

BBOES - Suitable for applications where grain transfer is not a problem. MDO - Resin-impregnated overlay on one side creates a smooth transfer surface.

Strand Board - OSB

Oriented Strand Board

OSB Square Edge	3/8", 1/2", 5/8"	4x8
OSB Structural No. 1	1/2"	4x8, 4x9, 4x10, 4x12

OSB T&G is Full Face (48")

OSB Radiant Barrier

OSB Radiant Barrier	1/2", 5/8"	4x8	

ZIP System Sheathing

ZIP System Sheathing	1/2"	4x8, 4x9, 4x10
ZIP System Sheathing	5/8"	4x8

ZIP System Flashing

ZIP System Seam Tape	3-3/4"x75' rolls
ZIP System Valley/Window/Door Tape	6"x75' rolls
ZIP System Stretch Tape	6"x20' rolls
ZIP System Liquid Flashing	29oz tube

Made from advanced acrylic adhesive for a long lasting bond. Application by hand or ZIP System Tape Gun.

Specialty Panels

Melamine (white both sides)	1/4", 3/4"	4x8
Hardboard Tempered (one side)	1/8", 1/4"	4x8
Tempered Pegboard	1/4"	4x8
FRP Panel		4x8
MDF (raw)	3/4"	49"x97"
MDF Beadboard (primed)	1/4"	4x8
Thermoply	1/8"	4x8
Soundboard	1/2"	4x8
Homasote 440	1/2"	4x8

Moulding & Trim

Ceiling Moulding • Window & Door Trim • Wall & Decorative Trim • Floor Moulding • Wainscot / Beadboard

Kelleher Moulding

Metrie El & El Wood Products
WindsorONE Premium Wood Mouldings

Miscellaneous

Railroad Ties

Reclaimed Cresote Treated RR Ties 6x8 8' long

A rustic look for garden and landscaping projects.

Wild Hog Products

Use as panels as infill between post and rail
Wild Hog Panel 3'x6', 3'x8'

Wild Hog Fence 6'x8' (black only)

Wild Hog Stair/ Rail Panel 5'x6'

Hog Tracks 6', 8' Aluminum Channel

4" square 6 guage welded wire panel. Powder coated Silver or Black.

Atlantis® Railing Systems

Stainless steel cable railing systems for decks, balconies and stairs. We carry components, cable, tools and accessories.

RailEasy™ Cable Railing HandiSwage™ Cable Railing

Can't find what you are looking for?

Give us a call or send us an email and tell us what you need. We carry and can source a wide range of lumber and building materials geared for the professional.

Builders Supply

Drywall

4x8 sheets

1/4", 3/8", 1/2", 5/8"

Rated, non-rated, mold and moisture resistant

Premixed and powder Joint Compound

All-purpose mud, Topping and Fast-setting mud

Paper & Mesh Joint Tape

Metal Corner Bead

Cement Backer Board

Hardie® Backer Board 3x5 panels

1/4", 1/2"

Fiberglass Seam Tape

Thinset

Insulation

ROCKWOOL Comfortbatt Thermal Home Insulation

Thermafiber UltraBatt Mineral Wool Insulation

Rigid Insulation

Floor Protection

Ram Board, Thermo-Ply

Carpet/Floor Shield, Red Rosin Paper

Exterior Finishes

Gacodeck deck primer and topcoat

Messmer"s UV Plus deck and fence finishes

Penofin wood stain & sealers

Caulk & Sealants

Sikaflex caulks, sealants & adhesives

OSI Quad window & door sealant, adhesives

NP1 sealants & waterproofing

PL sealants & adhesive

OSI proline adhesives

House Proofing

Tyvek house wrap

Grace house wrap

Fortifiber moisture protection

Flashing Tape

Asphalt, Butyl, Acrylic

Building Paper

Asphalt Felt in 15# and 30# Rolls

Fortifiber Two-Ply Jumbo Tex

Fortifiber Aquabar "B"

Waterproofing

Paraseal waterproofing membrane

Bituthene 4000 waterproofing membrane

Termination Bar

Stucco

Stucco Mix, Stucco Patch

Exterior Gypsum Sheathing

DensGlass Gold

1/2", 5/8"

4'x8'

Corrugated Roofing

Galvanized Metal, Fiberglass

8', 10', 12'

GacoRoof

100% Silicone Roof Coating

Meta

Edging, Flashing, Vents

Vulcan Fire Vent - Fire & Ember Safe Vents

Erosion Control

Wattle, Silt fence

Drainage

Delta-Drain drainboard

SDR Triple wall pipe and fittings

ADS pipe and channel drain components

SDR drain pipe

Filter fabric 12'6" wide (sold by foot or roll)

Simpson Strong-Tie

Anchoring and Fastening Systems

Authorized Stocking Dealer

for Simpson Strong-Tie Connections



Rebar

Rebar 3/8", 1/2", 5/8"

3/0,1/2,3/0

10'length

3/8", 1/2", 5/8", 3/4"

20' length

Threaded Rod and Connectors

Allthread

3/8", 1/2", 5/8", 3/4", 7/8", 1", 1-1/8", 1-1/4" Available in 12", 18", 3', 6', 10' lengths

Connectors

Zinc plated or Hot Dipped Galvanized (HDG) carbon steel

Masonry Products

Mortar, Grout, Sand

Quikrete

Concrete, Cement, Mortar

Rapid Set

Construction Cement, Cement All, DOT Cement

Concrete Products

Anchoring Epoxy & Bonding Adhesive

Coatings and Sealers

Professional Tools

Cordless Powertools - Corded Powertools - Miter and Compound Miter Saws - Portable Table Saws - Pneumatic

tools - Cutting Tools - Hand tools

Senco, Bosch, Skilsaw, Metabo, Stabila, Milwaukee, Johnson Levels, Makita, Stiletto, KneePro, Tajima, Vantage, Empire, Dalluge Tools, Imperial Blades, Vaughan, Diablo

Window & Door Showroom

Our Window & Door Showroom carries all of the major brands of windows, patio doors, and interior and exterior doors, several lines of architectural hardware, and skylights.

Windows

Marvin Signature Collection

Wood and Clad-Wood Windows and Patio Doors

Marvin Elevate Collection & Essential Collection

Fiberglass Windows and Patio Doors

JELD-WEN Windows & Doors

Wood, Vinyl and Aluminum Windows and Patio Doors, Wood and Fiberglass Entry Doors

Andersen Windows & Doors

Clad-wood and Fibrex Composite windows and patio doors

Milgard Windows & Doors

Wood, Fiberglass, Vinyl and Aluminum Windows and Patio Doors

Simonton

Premium Vinyl Replacement Windows

All Weather

Aluminum Windows, Sliding Doors and Commercial Windows & Doors

Moving Window Wall

LaCantina Doors

Folding, Sliding, Swing Door

Art Glass Millworks

Window Wall Systems

Doors

Rogue Valley Doors

Entry and Interior Wood Doors

Simpson Door Company

Wood Entrance Doors, Interior doors

TruStile

Interior and Exterior, Wood, MDF and Glass Doors

T. M. Cobb Handcrafted Doors

Wood Entrance Doors, Interior Doors, Patio and French Doors

Therma-Tru Doors

Fiberglass Entry Doors

Masonite

Interior and Fiberglass Doors

Skylights

VELUX Skylights
Royalite Custom Skylights
VELUX Sun Tunnel Skylights - Rigid or Flexible
Solatube Daylighting System

Architectural Hardware

Emtek

Baldwin Hardware Ashley Norton Rocky Mountain Schlage



Door Shop

Custom Door Hanging

Door Hanging Services include:

Custom prehung doors

Transom door units

Multiple door units

Dutch doors

Cut and re-blocks / rerail one panel doors

Standard prehung single doors and pairs

Machine doors to match existing doors

Custom exterior door jambs

Mortice lock installation

Window & Door Consultation Service

Our experienced professionals will work with you to come up with the best window and/or door solution to fit your project, while keeping with the architectural character of your home and lifestyle.

Call or Text (**510) 437-1199** to speak with a millwork professional

Contrtactor Services

Free Estimates

Give us a call or simply fill out the form and tell us what you need and we will email you back an estimate.

Window & Door Consultation

Our experienced professionals will work with you to come up with the best window and/or door solution to fit your project, while keeping with the architectural character of your home and lifestyle.

Call 510 437-1199 to speak with a Millwork Professional

Plan Take-off

If you're planning to build and have architectural and structural plans, bring them in. We'll be happy to do a consultation for all the lumber, building materials, windows & doors, and decking that you might need. We send the plans out to a professional take-off company where they read the plans and accurately tell us what you need. This is a pay service and the cost is applied toward your purchase should you go with our quote.

Lumber Delivery

Centrally located in the East Bay, we deliver lumber and building materials to the following Counties and beyond: Alameda, Contra Costa, Marin, San Francisco and San Mateo.



© 2024, Economy Lumber Company











Economy Lumber Company

Serving Bay Area Building Professionals Since 1935 750 High Street, Oakland CA 94601

510 261-6100

economylumberco.com order@economylumberco.com

Monday - Friday 7am to 5pm \sim Saturday 7:30am to 4:30pm Closed Sunday